



**MATERIAL SAFETY DATA SHEET**  
**JI-58001**  
**JAZEERA ALUMINIUM PAINT**  
Version No: 4 Revision Date: 19/4/2021

**1. PRODUCT & COMPANY IDENTIFICATION**

**PRODUCT NAME** JAZEERA ALUMINIUM PAINT  
**PRODUCT CODE** JI-58001  
**PRODCUT DESCRIPTION** See Technical Data Sheet  
**RECOMMENDED USE** See Technical Data Sheet

**COMPANY IDENTIFICATION**

**COMPANY NAME:** JAZEERA FACTORY FOR PAINTS CO.  
**COUNTRY:** SAUDI ARABIA  
**CITY:** KHAMIS MUSHAYT.61961  
**P.O. BOX:** 1900  
**TEL:** + 966 17 221 1111  
**FAX:** + 966 17 238 2728

**2. COMPOSITION / INFORMATION ON INGREDIENTS**

MATERIAL OR COMPONENT	CAS NO	WT%
WHITE SPIRIT	8052-41-3	20-40
ALKYD RESIN	N/A	40-60
ALUMINIUM PAST	N/A	15-25

**3. HAZARD IDENTIFICATION**

**HUMAN AND ENVIRONMENTAL HAZARDS:**

**Flammability:** Not Flammable  
**Effects of Exposure:** Heated product may produce inhalable  
**Skin Irritation:** Irritant  
**Eye Irritation:** Irritant  
**Breathing Irritations** VOC free not irritant to respiratory system



**MATERIAL SAFETY DATA SHEET**  
**JI-58001**  
**JAZEERA ALUMINIUM PAINT**  
**Version No: 4 Revision Date: 19/4/2021**

**4. FIRST AID MEASURES**

<b>Eyes Contact</b>	Immediately flush eyes with fresh water at least 15 times. Contact a physician.
<b>Skin Contact</b>	Wash with soap and water, remove contaminated clothing and launder before re-use.
<b>Ingestion</b>	If conscious, give plenty of water to drink do not induce vomiting Contact physician.
<b>Inhalation</b>	Remove to fresh air; give oxygen and/or artificial respiration if required. Contact a physician.
<b>Others</b>	Referral to a physician is recommended if there is any question about the seriousness or any injury

**5. FIRE FIGHTING MEASURES**

<b>Flash Point</b>	41 °C
<b>Extinguishing Media</b>	CO <sub>2</sub> , dry chemical, foam.
<b>Fire Fighting Procedure</b>	Use self contained- breathing apparatus.
<b>Unusual Fire/Explosion Hazard</b>	Decomposition and composition product may be toxic.

**6. ACCIDENT RELEASE MEASURES**

**SAFETY PRECAUTION**

- Open enclosed spaces to outside atmosphere.
- Wear protective clothing, boots, gloves & eye protection.
- Consult the safety measures listed under headings 7 & 8.

**SPILL RELEASE PROCEDURES:**

Remove spillage by absorbing in nonreactive absorbent material.

**WASTE DISPOSAL METHODS:**

Consult qualified local or corporate personnel for method that will comply with local, state and federal health and environmental regulations.

**7. HANDLING & STORAGE**

**Handling & Storage Precautions**

Keep container closed upright when not in use. Store in cool, dry, well ventilated area. Avoid storage temperature above 100 Degrees Fahrenheit.

**8. EXPOSURE CONTROL / PERSONAL PROTECTION**

**Respiratory Protection**

Use NIOSH approved organic vapor cartridge respirator when vapor/mist exposure is likely. Use air-line respirator in confined or restricted ventilation areas. Refer to 29 CFR, OSHA parts 1910, 1915, and 1916 for coating operations.



**MATERIAL SAFETY DATA SHEET**  
**JI-58001**  
**JAZEERA ALUMINIUM PAINT**  
**Version No: 4 Revision Date: 19/4/2021**

**Ventilation**

General mechanical and local exhaust in accordance with ACGI recommendations.

**Protective Gloves**

Wear impermeable gloves.

**Eye Protection**

Wear splash-proof chemical goggles

**9. PHYSICAL AND CHEMICAL PROPERTIES**

Color	Silver color
State	Liquid
Odor	Usual to solvent
pH	Not Applicable
Specific Gravity ( Water = 1)	0.98
Vapor Pressure	Not Defined
Vapor Density ( Air = 1)	-
Melting point	-
Boiling Point	150-205 °C
Solubility in water	Insoluble
Evaporation Rate ( Butyl Acetate=1)	550

**10. STABILITY AND REACTIVITY**

**Stability**

Stable

**Stability Condition to Avoid**

Elevated temperature

**Materials to Avoid**

Strong oxidization agents, mineral acids, and bases

**Hazardous Decomposition Products**

Carbon monoxide, Carbon dioxide, and Oxides of Nitrogen

**Polymerization**

Will not occur

**11. TOXICOLOGICAL INFORMATION**

No toxicological information is available for this product.

**12. ECOLOGICAL INFORMATION**

No ecological information is available for this product

**13. DISPOSAL CONSIDERATION**

**Spill Release Procedure**

Avoid breathing of vapors or dust. Use absorbent clean-up materials or sweep up. Place in separate container. Keep out of public sewers & waterways. If entry is threatened or occurs, notify local authorities. Eliminate all sources of ignition.



**MATERIAL SAFETY DATA SHEET**  
**JI-58001**  
**JAZEERA ALUMINIUM PAINT**  
**Version No: 4 Revision Date: 19/4/2021**

**Waste Disposal Methods**

In separate closed metal container in accordance with all applicable regulations.

**Other Precautions**

Do not take internally, avoid prolonged breathing of vapors or dust or spray mist or contact with skin & eyes. Do not welds or flame cut an empty container, Ground containers when pouring? Destroy contaminated leather & absorbent shoes.

**14. TRASPORT INFORMATION**

**Land Transport (ADG)**

Class : 3

Labeling of vehicles – hazard code : 90 UN No. :1263

Symbol of hazard : 3

**Sea Transport (IMDG)**

IMO PSN Code : LCT

IMO Proper Shipping name : Paint or Paint related material.

UN Hazard Class : 3 UN Number1263

**Air Transport (IATA)**

IATA Label : Flammable liquid.

Symbol of Hazard : 3

UN Hazard Class : 3 UN Number1263

**15. STATUTORY / REGULATORY INFORMATION**

This preparation is classified in compliance with the directive known as " All preparations " 1999 / 45 / EC. In addition directive 2001 59 / EC with the 28 adaption of directive 67 / 548 / EC (Hazardous substances) have been taken into account

**R Phrases**

- R 36/38 Irritating to eye & skin
- R 43 May cause sensitization by skin contact.
- R 51/53 Toxic to aquatic organisms.

**S Phrases**

- S 7/9 Keep container tightly closed in well ventilated place.
- S 28 After contact with skin, wash immediately with plenty of soap & water.
- S 36/37/39 Wear suitable clothings , gloves and eye/face protection.
- S 61 Avoid release to the environment.

**16. OTHER INFORMATION**

- Since the end users working conditions are not known by us the information provided in this safety data sheet is based on our current level of knowledge.



**MATERIAL SAFETY DATA SHEET**  
**JI-58001**  
**JAZEERA ALUMINIUM PAINT**  
**Version No: 4 Revision Date: 19/4/2021**

- The information provided in this safety data sheet relates to the product in the state in which it is delivered.
- It is intended to describe our products from the point of view of safety requirements & is not intended to guarantee any particular properties.
- The product must not be used for any purpose other than those specified under heading without first obtaining written handling instructions.
- It is all times the responsibility of the users to take all necessary measures to comply with legal requirements & local regulations.
- The information given in this safety data sheet must be regarded as a description of the safety requirements relating to our product and not guarantee of its properties.

**MSDS**