



## MATERIAL SAFETY DATA SHEET

JA-36001

JAZEERA FANTASY

Version No:4 Revision Date: 14/4/2021

### 1. PRODUCT & COMPANY IDENTIFICATION

<b>PRODUCT NAME</b>	JAZEERA FANTASY
<b>PRODUCT CODE</b>	JA-36001
<b>PRODUCT DESCRIPTION</b>	See Technical Data Sheet
<b>RECOMMENDED USE</b>	See Technical Data Sheet

### COMPANY IDENTIFICATION

<b>COMPANY NAME:</b>	JAZEERA FACTORY FOR PAINTS CO.
<b>COUNTRY:</b>	SAUDI ARABIA
<b>CITY:</b>	KHAMIS MUSHAYT.61961
<b>P.O. BOX:</b>	1900
<b>TEL:</b>	+ 966 1 7 221 1111
<b>FAX:</b>	+ 966 17 238 2728

### 2. COMPOSITION / INFORMATION ON INGREDIENTS

MATERIAL OR COMPONENT	CAS NO	R PHRASES	WT%
Alkyd Resin	Not hazardous	-	60-75 %
White Spirit	64742-48-9	-	15-20 %

### 3. HAZARD IDENTIFICATION

#### HUMAN AND ENVIRONMENTAL HAZARDS:

#### Primary Routes of Exposure:

#### Skin Absorption

None currently know.

#### Inhalation

In high concentration may cause drowsiness.

#### Eye Contact

Excess redness and swelling of the conjunctiva may occur. Does not injure eye tissues.

Cause irritation, experienced as stinging and discomfort or pain.

#### Skin Contact

Contact may irritate or burn the skin. Prolonged contact causes mild to moderate local redness and swelling.

#### Effect of repeated over exposure

Non-evidence of adverse effect from available information.



## MATERIAL SAFETY DATA SHEET

JA-36001

JAZEERA FANTASY

Version No:4 Revision Date: 14/4/2021

### 4. FIRST AID MEASURES

#### Swallowing

Do not induce vomiting. Keep patient at rest. Seeking immediate medical attention.

#### Inhalation

Move victim to fresh air, call emergency medical care. If not breathing gives artificial respiration. If breathing is difficult give oxygen. Get prompt medical attention.

#### Eye Contact

Immediately flush eyes with a large amount of water for at least 15 minutes. Get prompt medical attention.

#### Skin Contact

Remove contaminated clothing. Wash affected skin areas thoroughly with soap and water. See a physician.

### 5. FIRE FIGHTING MEASURES

#### Flash Point

41°C.

#### Extinguishing Media

CO<sub>2</sub>, Dry Chemical, Foam.

#### Fire Fighting Procedure

Use self contained- breathing apparatus.

#### Unusual Fire/Explosion Hazard

Decomposition and composition product may be toxic.

### 6. ACCIDENT RELEASE MEASURES

#### SAFETY PRECAUTION

- Open enclosed spaces to outside atmosphere.
- Wear protective clothings, boots, gloves & eye protection.
- Consult the safety measures listed under headings 7 & 8.

#### SPILL RELEASE PROCEDURES:

Remove spillage by absorbing in nonreactive absorbent material.

#### WASTE DISPOSAL METHODS:

Consult qualified local or corporate personnel for method that will comply with local, state and federal health and environmental regulations.

### 7. HANDLING & STORAGE

#### Handling & Storage Precautions

Keep container closed upright when not in use. Store in cool , dry , well ventilated area. Avoid storage temperature above 100 Degrees Fahrenheit.

### 8. EXPOSURE CONTROL / PERSONAL PROTECTION

#### Respiratory Protection

Use NIOSH approved organic vapor cartridge respirator when vapor/mist exposure is likely.



## MATERIAL SAFETY DATA SHEET

JA-36001

### JAZEERA FANTASY

Version No:4 Revision Date: 14/4/2021

Use air-line respirator in confined or restricted ventilation areas. Refer to 29 CFR, OSHA parts 1910, 1915 and 1916 for coating operations.

#### Ventilation

General mechanical and local exhaust in accordance with ACGI recommendations.

#### Protective Gloves

Wear impermeable gloves.

#### Eye Protection

Wear splash-proof chemical goggles

### 9 PHYSICAL AND CHEMICAL PROPERTIES

Color	Colors
State	Liquid
Odour	Usual to solvent
pH	Not Applicable
Specific Gravity ( Water = 1)	1.01 – 1.03
Vapor Pressure	Not Defined
Vapor Density ( Air = 1)	-
Melting point	-
Boiling Point	150-205 C
Solubility in water	
Evaporation Rate ( Butyl Acetate=1)	

### 10. STABILITY AND REACTIVITY

#### Stability

Stable

#### Stability Condition to Avoid

Elevated temperature

#### Materials to Avoid

Strong oxidization agents, mineral acids, and bases

#### Hazardous Decomposition Products

Carbon monoxide, Carbon dioxide, and Oxides of Nitrogen

#### Polymerization

Will not occur

### 11. TOXICOLOGICAL INFORMATION

#### Acute Date

The following information is based on toxicity profiles of the most potentially hazardous component of this material.

LD50 Oral : >5.0 g/Kg rats

LD50 Skin Contact : >3.0 g/Kg rabbits

LD50 inhalation : > Not estimated.

Longer inhalation of concentrated solvent in the product which exceed the threshold limit value (150) could cause irritation of mucous tissues of respiratory system or even affect normal functioning if kidney



## MATERIAL SAFETY DATA SHEET

JA-36001

### JAZEERA FANTASY

Version No:4 Revision Date: 14/4/2021

,liver and central nervous system. Ingestion can damage the tissue of the digestive system. Longer and intensive contact with skin can cause the loss of subcutaneous skin fat and dermatitis.

#### 12. ECOLOGICAL INFORMATION

- The product contains 100% of volatile organic components in total of the regulation relating to the emission of substances in air.
- Biodegradability of the product in the natural in the natural environment is relatively long. Prevent spillage on soil, in water streams, water reserves, sewage systems and biological water treatment facilities

#### 13. DISPOSAL CONSIDERATION

For disposal, incinerate this material at a facility that complies with local, state, and federal regulations.

#### 14. TRASPORT INFORMATION

##### Land Transport (ADG)

Class : 3

Labeling of vehicles – hazard code : 90 UN No. :1263

Symbol of hazard : 3

##### Sea Transport (IMDG )

IMO PSN Code : LCT

IMO Proper Shipping name : Paint or Paint related material.

UN Hazard Class : 3 UN Number1263

##### Air Transport (IATA )

IATA Label : Flammable liquid.

Symbol of Hazard : 3

UN Hazard Class : 3 UN Number1263

#### 15. STATUTORY / REGULATORY INFORMATION

This preparation is classified in compliance with the directive known as " All preparations " 1999 / 45 / EC. In addition directive 2001 59 / EC with the 28 adaption of directive 67 / 548 / EC (Hazardous substances) have been taken into account

##### R Phrases

- R 36/38 Irritating to eye & skin
- R 43 May cause sensitization by skin contact.
- R 51/53 Toxic to aquatic organisms.



## MATERIAL SAFETY DATA SHEET

JA-36001

JAZEERA FANTASY

Version No:4 Revision Date: 14/4/2021

### S Phrases

- S 7/9 Keep container tightly closed in well ventilated place.
- S 28 After contact with skin, wash immediately with plenty of soap & water.
- S 36/37/39 Wear suitable clothings , gloves and eye/face protection.
- S 61 Avoid release to the environment.

### 16.OTHER INFORMATION

- Since the end users working conditions are not known by us the information provided in this safety data sheet is based on our current level of knowledge.
- The information provided in this safety data sheet relates to the product in the state in which it is delivered.
- It is intended to describe our products from the point of view of safety requirements & is not intended to guarantee any particular properties.
- The product must not be used for any purpose other than those specified under heading without first obtaining written handling instructions.
- It is all times the responsibility of the users to take all necessary measures to comply with legal requirements & local regulations.
- The information given in this safety data sheet must be regarded as a description of the safety requirements relating to our product and not guarantee of its properties.