

JA-16073

JAZEERA GLORY SILK

Version No: 1 Revision Date: 18/9/2022

1. PRODUCT & COMPANY IDENTIFICATION

Product Name Product Code Intended Use Product Description JAZEERA GLORY SILK JA-16073 See Technical Data Sheet See Technical Data Sheet

COMPANY IDENTIFICATION

Company Name Country: City: P.O.Box : Tel: Fax: JAZEERA FACTORY FOR PAINTS CO. SAUDIA ARABIA KHAMIS MUSHAYT.61961 1900 + 966 17 221 1111

+ 966 17 238 2728

2. COMPOSITION / INFORMATION ON INGRADIENTS

MATERIAL OR COMPONENT	CAS NO	R PHRASES	WT%	
Titanium dioxide	13463-67-7		15-20 %	
Calcium carbonates	471-34-1	36, 37, 38	10-15 %	
Acrylic copolymer	Not hazardous		30-40 %	
5-chloro-2-methyl-4-isothiazolin-3-one				
and 2-methyl-2H-isothiazol-3-one	55965-84-9	23/24/25	0.1%-0.25 %	

3. HAZARD IDENTIFICATION

HUMAN AND ENVIRONMENTAL HAZARDS:

Flammability: Effects of Exposure: Skin Irritation: Eye Irritation: Breathing Irritations

Not Flammable Heated product may produce inhalable Irritant Irritant VOC free not irritant to respiratory system



JA-16073

JAZEERA GLORY SILK

Version No: 1 Revision Date: 18/9/2022

4. FIRST AID MEASURES

Eyes Contact	Immediately flush eyes with fresh water at least 15 times. Contact a physician.
Skin Contact	Wash with soap and water, remove contaminated clothing and launder before re-use.
Ingestion	If conscious, give plenty of water to drink do not induce vomiting Contact physician.
Inhalation	Remove to fresh air; give oxygen and/or artificial respiration if required. Contact a
	physician.
Others	Referral to a physician is recommended if there is any question about the seriousness
	or any injury

5. FIRE FIGHTING MEASURES

Flash Point Extinguishing Media Fire Fighting Procedure Unusual Fire/Explosion Hazard Not combustible. Water Jet, Dry Chemical, Foam. Use self contained- breathing apparatus. Decomposition and composition product may be toxic.

6. ACCIDENT RELEASE MEASURES

SAFETY PRECAUTION

- Open enclosed spaces to outside atmosphere.
- Wear protective clothings, boots, gloves & eye protection.
- Consult the safety measures listed under headings 7 & 8.

SPILL RELEASE PROCEDURES:

Remove spillage by absorbing in nonreactive absorbent material.

WASTE DISPOSAL METHODS:

Consult qualified local or corporate personnel for method that will comply with local, state and federal health and environmental regulations.

7. HANDLING & STORAGE

Handling & Storage Precautions

Keep container closed upright when not in use. Store in cool, dry, well ventilated area. Avoid storage temperature above 100 Degrees Fahrenheit.



JA-16073

JAZEERA GLORY SILK

Version No: 1 Revision Date: 18/9/2022

8. EXPOSURE CONTROL / PERSONAL PROTECTION

Respiratory Protection

Use niosh approved organic vapor cartridge respirator when vapor/mist exposure is likely. Use airline respirator in confined or restricted ventilation areas. Refer to 29 CFR, OSHA parts 1910, 1915, and 1916 for coating operations.

Ventilation

General mechanical and local exhaust in accordance with ACGI recommendations.

Protective Gloves

Wear impermeable gloves.

Eye Protection

Wear splash-proof chemical goggles

9. PHYSICAL AND CHEMICAL PROPERTIES

Specific Gravity	1.27@ 25°C; water=1
Solubility	Water.
Insolubility	Organic and hydrocarbon solvent.
Odor	Slight monomer odor.
Appearance	Medium viscous liquid
Viscosity	100±3KU @ 25°C ASTM D562
pH	8.5±0.5

10. STABILITY AND REACTIVITY

Stability Stability Condition to Avoid	Stable
Materials to Avoid	Elevated temperature
Hazardous Decomposition Products	Strong oxidization agents, mineral acids, and bases Carbon monoxide, Carbon dioxide, and Oxides of Nitrogen
Polymerization	Will not occur

11. TOXICOLOGICAL INFORMATION

No toxicological information is available for this product.

12. ECOLOGICAL INFORMATION

No ecological information is available for this product.



JA-16073

JAZEERA GLORY SILK

Version No: 1 Revision Date: 18/9/2022

13. DISPOSAL CONSIDERATION

Spill Release Procedure

Avoid breathing of vapors or dust. Use absorbent clean-up materials or sweep up. Place in separate container. Keep out of public sewers & waterways. If entry is threatened or occurs, notify local authorities. Eliminate all sources of ignition.

Waste Disposal Methods

In separate closed metal container in accordance with all applicable regulations.

Other Precautions

Do not take internally, avoid prolonged breathing of vapors or dust or spray mist or contact with skin & eyes. Do not welds or flame cut an empty container, Ground containers when pouring? Destroy contaminated leather & absorbent shoes.

14. TRANSPORT INFORMATION

Not classified as "Hazardous for transport"

15. STATUTORY / REGULATORY INFORMATION

This preparation is classified in compliance with the directive known as " All preparations " 1999 / 45 / EC. In addition directive 2001 59 / EC with the 28 adaption of directive 67 / 548 / EC (Hazardous substances) have been taken into account

R Phrases

- R 36/38 Irritating to eye & skin
- R 43 May cause sensitization by skin contact.
- R 51/53 Toxic to aquatic organisms.

S Phrases

- S 7/9 Keep container tightly closed in well ventilated place.
- S 28 After contact with skin, wash immediately with plenty of soap & water.
- S 36/37/39 Wear suitable clothings, gloves and eye/face protection.
- S 61 Avoid release to the environment.

16. OTHER INFORMATION

- Since the end users working conditions are not known by us the information provided in this safety data sheet is based on our current level of knowledge.
- The information provided in this safety data sheet relates to the product in the state in which it is delivered.
- It is intended to describe our products from the point of view of safety requirements & is not intended to guarantee any particular properties.



JA-16073

JAZEERA GLORY SILK

Version No: 1 Revision Date: 18/9/2022

- The product must not be used for any purpose other than those specified under heading without first obtaining written handling instructions.
- It is all times the responsibility of the users to take all necessary measures to comply with legal requirements & local regulations.
- The information given in this safety data sheet must be regarded as a description of the safety requirements relating to our product and not guarantee of its properties.

